

# saltrad TE

Cutting edge solution to manage soil salinity  
and sodicity problems



## Guaranteed contents:

% w/v

Sulfur (S) water soluble:	11%
Calcium (Ca) water soluble:	7%
Manganese (Mn) chelated by EDTA:	0.13%
Zinc (Zn) chelated by EDTA:	0.06%
Organic Acids:	19.5%

EN18/2/03/0316

## Distributor:

Tradecorp APAC Pty. Ltd.  
Level 1, 225 George Street  
Sydney - NSW 2000  
Contact: 1300 595 000  
Email: [australia@tradecorp.sapec.pt](mailto:australia@tradecorp.sapec.pt)  
[www.tradecorpastralia.com.au](http://www.tradecorpastralia.com.au)

**NET WEIGHT**  
**20 L (26 Kg)**

COMPANY WITH  
MANAGEMENT SYSTEM  
CERTIFIED BY DNV  
= ISO 9001 =  
= ISO 14001 =

 **tradecorp**  
nutri-performance

Saltrad TE is a highly efficient corrector and preventer of saline and saline-sodic soils. Saltrad TE has multiple integrated modes of action: the organic acids lift the Sodium and Salts from the soil surface where they are replaced by the Calcium on the soil surface. Saltrad TE then encourages leaching of the Sodium and Salts once they are in suspension in the soil solution. The Calcium in Saltrad TE also assists plant growth by helping to balance excess Sodium in the plant. Saltrad TE has the following advantages:

- Unique formulation with Calcium and organic acids to displace Sodium and Salts
- Reduces electrical conductivity (EC) and Exchangeable Sodium Percentage (ESP)
- Calcium source that is 100% soluble

### DOSAGE AND METHOD OF USE

The product may be applied with any type of irrigation although it is particularly designed for localized irrigation.

Application	Crop	Rate (L /ac)	No. of Applications	Comments	
Drip / Localised Irrigation	All Crops	4 - 6	3 - 5	Apply according to the EC of the soil. Repeat 3 - 5 times throughout the crop cycle. Apply first application at transplant to improve rooting.	
	Cucurbits	3 - 5	4 - 8	As above, and also target fruit setting stage.	
	Solanaceae	6 - 10	2 - 4	Apply first large application at planting due to the crops sensitivity to sodicity then smaller applications every 15 days during fruitset and fill.	
	The following doses based on EC are recommended				
	EC (dS /m)		Dosage		-
	>4		28 L /ac per season		
	Between 3 - 4		22 L /ac per season		
Between 2 - 3		16 L /ac per season			
As Saline Water Corrector	-	75 - 125 g /m <sup>3</sup>	-	-	

Cleaning of the irrigation system is recommended after the product has been applied.

### COMPATIBILITY

Saltrad TE is compatible with most commonly used fertilizers and agrochemicals, except products with an alkaline reaction. It is recommended to carry out a test before preparing the mixture and to consult technically authorized personnel.

### WARNINGS, HANDLING AND STORAGE

**Harmful if swallowed. Causes serious eye damage. May cause an allergic skin reaction.** Contains: Calcium nitrate (20-30%) and a preparation of sulfur (10-20%). Wash thoroughly after handling. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Wear protective clothing. Shake before use. Keep out of reach of children. Do not eat, drink or smoke when using this product. Store in a fresh, dry place and keep away from extreme temperatures. Keep only in original container. Use the product according to the instructions in this label. In case of doubt, please contact authorized technicians.



**DANGER**

Manufacturing date:  
Lot number:  
Expiry date: 2 years after manufacturing date.



EN182/03/0316